ELSEVIER

Volume 285 Numbers 1–2, 30 March 1999

Journal of
ALLOYS
AND COMPOUNDS

Contents

Letters

Redistribution of Be in InGaAsP layers grown by GSMBE during post-growth annealing L1
K. Ketata, M. Ketata, S. Koumetz, J. Marcon (Mont Saint Aignan, France)

New ternary CeFeSi-type RTiGe (R=La, Ce, Sm) compounds L5
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov (Moscow, Russia)

The electrochemical evaluation of ball milled MgNi-based hydrogen storage alloys L8
S.-C. Han, J.-J. Jiang, J.-G. Park, K.-J. Jang (Taejon, South Korea), E.-Y. Chin (Kyungi, South Korea), J.-Y. Lee (Taejon, South Korea)

Influence of a magnetic field on the magnetoelasticity of commensurate spin-density-wave Cr–Ru and Cr–Si alloy single crystals L12
A.M. Dawe, H.L. Alberts, P. Smit (Johannesburg, South Africa)

Isothermal sections of the Nd–M–Sb systems at 870 K (M=Cr, Fe, Co, Zn) L16
O. Sologub, P. Salamakha (L'viv, Ukraine)

Synthesis and structure determination of the first ternary cadmium hydride, Cs_3CdH_5 . . . . . L19
M. Bortz (Genève, Switzerland), M. Gutmann (Villigen, Switzerland), K. Yvon (Genève, Switzerland)

Physics

Concentration dependent variation of the electron properties of random binary alloys 1
H. Bogdanów, K.F. Wojciechowski (Wrocław, Poland)

Standard molar Gibbs energies of formation of the ternary compounds in the La-Co-O system using solid oxide galvanic cell method 7
S.C. Parida, Z. Singh, S. Dash, R. Prasad, V. Venugopal (Mumbai, India)

Hyperfine spectroscopic study of Hf_2Fe hydrides and their thermal stability 12
M. Forker, S. Müller (Bonn, Germany), A.F. Pasquevich, S.M. Van Eek (La Plata, Argentina)

Thermodynamic properties of hydrogen in Mo/V (110) superlattices: the dependence on crystallographic orientation 21
J. Öhrmalm (Stockholm, Sweden), G. Andersson (Uppsala, Sweden), J. Birch (Linköping, Sweden), B. Hjörvarsson (Stockholm, Sweden)

Nanocrystal formation, amorphization and superconductivity in YNi_2B_2C 27
L. Ledig, D. Hough, C.-G. Oertel, J. Eckert, W. Skrotzki (Dresden, Germany)

^{57}Fe Mössbauer study of $Pr_m(Fe, Mo)_n$ compounds with m:n=2:17 and 1:12 37
M. Morariu, D.P. Lazar, A. Galatanu, N. Plugaru, V. Kuncser, G. Filoti (Buchareste-Magurele, Romania), G. Hilscher, A. Kottar (Vienna, Austria)

Synthesis and high pressure studies of the semiconductor $AgSbSe_2$ 48
R.S. Kumar, A. Sekar, N.V. Jaya, S. Natarajan (Chennai, India)

Volume expansion and Curie temperature enhancement in $R_2Fe_{17}C_x$ compounds 51
J. Hu (Jinan, P.R. China)

Magnetisation and neutron diffraction studies of $HoFe_{12-x}Ta_xX_y$ ($0.5 \leq x \leq 0.7$, X=H, C) 56
R. Vert, M. Bououdina, D. Fruchart, D. Gignoux (Grenoble, France), Y. Kalychak (Lviv, Ukraine), B. Ouladdiaf (Grenoble, France), R.V. Skolozdra (Lviv, Ukraine)

Chemistry

Cation ordering in the perovskite-type $Sr_{2-x}La_xCo_{1-y}Ta_{1+y}O_6$ 64
S. Kato, T. Kawase, Y. Ohshima, M. Sugai (Akita, Japan), H. Takizawa, T. Endo (Sendai, Japan)

Elsevier Science S.A.

Distortion and cation ordering in $LaSr(Ni_{1-x}Cu_x)TaO_6$ 69
S. Kato, T. Kawase, Y. Ohshima, M. Sugai (Akita, Japan), H. Takizawa, T. Endo (Sendai, Japan)

Stepwise chlorination–chemical vapor transport reaction for rare earth separation from multicomponent oxide mixtures La_2O_3–CeO_2–Pr_6O_{11}–Nd_2O_3 and Y_2O_3–La_2O_3–CeO_2–Pr_6O_{11}–Nd_2O_3 73
Y.-H. Sun, Z.-C. Wang, L. Guo (Liaoning, China)

Synthesis of NiO-loaded $KTiNbO_5$ photocatalysts by a novel polymerizable complex method 77
H. Takahashi (Yokohama, Japan), M. Kakihana, Y. Yamashita, K. Yoshida (Saitama, Japan), S. Ikeda, M. Hara, K. Domen (Yokohama, Japan)

Studies on thorium containing triple orthoarsenates: M RE Th $(AsO_4)_3$ (M=Mg, Sr, Ba, Cd and Pb, RE=La, Pr, Nd, Sm, Gd, Tb, Dy and Y) 82
M.A. Nabar, R.R. Sakhardande (Bombay, India)

Synthesis and high-temperature stability of Ti_3SiC_2 85
R. Radhakrishnan, J.J. Williams, M. Akinc (Ames, IA, USA)

Magnetic and thermal properties of vanadium phosphates hydrates $M^{II}(VOPO_4)_2 \cdot 4H_2O$ ($M^{II}=Ca^{2+}$, Ba^{2+} and Cd^{2+}) 89
E. Le Fur, O. Peña, J.Y. Pivan (Rennes, France)

High-pressure synthesis of one-dimensional alkaline-earth palladates 98
Y. Wang (Palisades and New York, NY, USA), D. Walker, B.-H. Chen (Palisades, NY, USA), B.A. Scott (Palisades and Yorktown Heights, NY, USA)

Spectroscopic properties of tetravalent uranium in glasses 105
K. Binnemans, I. Couwenberg, H. De Leebeeck, C. Görller-Walrand (Heverlee, Belgium), J.L. Adam (Rennes, France)

Investigation of double oxides in the system of Pr_2O_3–WO_3 112
T. Shimazaki, T. Yamazaki, K. Terayama, T. Ishiguro (Toyama, Japan), M. Yoshimura (Yokohama, Japan)

Hydrogen cycling behavior of zirconium and titanium–zirconium-doped sodium aluminum hydride 119
R.A. Zidan, S. Takara, A.G. Hee, C.M. Jensen (Honolulu, HI, USA)

Metallurgy

[Pd−Sn] system: enthalpies of formation of the liquid [Pd+Sn] and heat capacities of PdSn, $PdSn_2$, $PdSn_3$ and $PdSn_4$ compounds 123
M. Mathon, M. Gambino (Marseille, France), E. Hayer (Vienna, Austria), M. Gaune-Escard, J.P. Bros (Marseille, France)

Constitutional studies of molybdenum–ruthenium alloys using ultra-rapidly solidified samples 133
R. Gürler (Eskisehir, Turkey)

Crystal structure of compounds with 20 at.% Sm in the Sm–{Pd,Pt}–{Si,Ge} systems at 870 K 137
J.M. Kurenbaeva, Y.D. Seropegin, A.V. Gribanov (Moscow, Russia), O.I. Bodak (Lviv, Ukraine), V.N. Nikiforov (Moscow, Russia)

Hydrogen absorption characteristics in the $Tb_{1-x}Zr_xFe_3$ (x=0.1, 0.2, 0.3) system 143
R. Sivakumar, S. Ramaprabhu, K.V.S. Rama Rao (Madras, India), H. Anton, P.C. Schmidt (Darmstadt, Germany)

Assessment of the Re–Ta binary system 150
Y. Cui, Z. Jin (Hunan, P.R. China)

Effect of isothermal treatment of SAF 2205 duplex stainless steel on migration of δ/γ interface boundary and growth of austenite 156
K.M. Lee, H.S. Cho, D.C. Choi (Kwangju, South Korea)

Thermodynamic evaluation of the Cu–Mg–Zr system 162
M. Hämäläinen (Helsinki, Finland), N. Bochvar, L.L. Rokhlin (Moscow, Russia), K. Zeng (Changsha, P.R.China)

The isothermal section of the phase diagram of the ternary system Y–Ge–Ga at 800°C in the region 33.3 to 100 at.% Y . . . 167
V.Y. Markiv, N.M. Belyavina, M.V. Speka (Kyiv, Ukraine)

Crystal structure of μ_7-MgZnSm 172
K. Sugiyama, K. Yasuda, Y. Horikawa, T. Ohsuna, K. Hiraga (Sendai, Japan)

Standard enthalpies of formation of some thulium alloys by high temperature direct synthesis calorimetry 179
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Kinetic study on non-isothermal crystallization in glassy materials: application to the $Sb_{0.12}As_{0.40}Se_{0.48}$ alloy 185
P.L. López-Alemany, J. Vázquez, P. Villares, R. Jiménez-Garay (Puerto Real (Cádiz), Spain)

RGe_{2-x} compounds (R=Y, Gd–Ho) with new ordered $ThSi_2$-defect structures 194
G. Venturini, I. Ijjaali, B. Malaman (Vandoeuvre les Nancy, France)

Hydrogen order in monoclinic $ZrCr_2H_{3.8}$ 204
H. Kohlmann (Genève, Switzerland), F. Fauth (Grenoble, France), K. Yvon (Genève, Switzerland)

Materials Science

Production of Al–Zr master alloy starting from ZrO_2 212
P.K. Rajagopalan, I.G. Sharma, T.S. Krishnan (Mumbai, India)

Structure and magnetic properties of $Gd_3(Fe_{0.665}Co_{0.313}Ti_{0.022})_{29}$ 216
G. Huo (Beijing and Baoding, P.R. China), Z. Qiao, G. Rao, J. Liang, B. Shen (Beijing, PR China)

The microstructure analysis of Al–Cu–Cr phases in $Al_{65}Cu_{20}Cr_{15}$ quasicrystalline particles/Al base composites 221
Y.H. Qi, Z.P. Zhang, Z.K. Hei, C. Dong (Dalian, P.R. China)

Containerless solidification of undercooled NdFeZrB alloy droplets in a drop tube 229
J. Gao, B. Wei (Xian, P.R. China)

Thermal conductivity in Pt-based alloys 233
Y. Terada, K. Ohkubo, T. Mohri (Sapporo, Japan), T. Suzuki (Kochi, Japan)

Effect of heat treatment on the magnetic compensation state of amorphous Gd–Co and layered Gd/Co films 238
V.O. Vas'kovskiy, A.V. Svalov, A.N. Sorokin, P.V. Krapivin, A.V. Zinin (Ekaterinburg, Russia)

Thermal expansion and compressibility of Co_6W_6C 242
N.A. Dubrovinskaia, L.S. Dubrovinsky, S.K. Saxena (Uppsala, Sweden), M. Selleby, B. Sundman (Stockholm, Sweden)

Hydriding and dehydriding characteristics of an amorphous Mg_2Ni–Ni composite 246
C. Iwakura, S. Nohara, S.G. Zhang, H. Inoue (Osaka, Japan)

Metal hydride electrodes prepared by mechanical alloying of ZrV_2-type materials 250
M. Jurczyk, W. Rajewski, G. Wójcik, W. Majchrzycki (Poznań, Poland)

Characterization of Si_3N_4/SiC nanocomposite by Raman scattering and XPS 255
W.-S. Cho, Y.-S. Oh, C.-S. Kim (Seoul, South Korea), M. Osada (Saitama, Japan), M. Kakihana (Yokohama, Japan), D.-S. Lim, D.-S. Cheong (Seoul, South Korea)

The characteristics of mixed hydrogen storage electrode with $Bi_2(MoO_4)_3$ 260
J. Liu, W.H. Wang, X.P. Gao, S.H. Ye, H.T. Yuan, D.Y. Song, Y.S. Zhang (Tianjin, P.R. China)

The chemical preparation of Mo(W)Co(Ni) and their influence on hydrogen storage electrode 263
J. Liu, W.H. Wang, S.H. Ye, X.P. Gao, H.T. Yuan, D.Y. Song, Y.S. Zhang (Tianjin, P.R. China)

Surface modification of Mg_2Ni alloy in an acid solution of copper sulfate and sulfuric acid 267
C.Y. Wang, P. Yao, D.H. Bradhurst, H.K. Liu, S.X. Dou (Wollongong, Australia)

Microstructure and electrochemical characteristics of surface-treated $Mm(Ni\text{-}Co\text{-}Al\text{-}Mn)_{4.76}$ alloys for nickel–metal hydride batteries 272
T. Imoto, K. Kato, N. Higashiyama, M. Kimoto, Y. Itoh, K. Nishio (Osaka, Japan)

New approach for synthesizing Mg-based alloys 279
D. Sun, H. Enoki, F. Gingl, E. Akiba (Ibaraki, Japan)

Effect of annealing heat treatment on an atomized AB_2 hydrogen storage alloy 284
H.J. Chuang, S.S. Huang (Taipei, Taiwan), C.Y. Ma (Lung-Tan, Taiwan), S.L.I. Chan (Taipei, Taiwan)

Influence of the alloy morphology on the kinetics of AB_5-type metal hydride electrodes 292
D. Chartouni (Fribourg, Swtizerland), N. Kuriyama (Osaka, Japan), A. Otto, V. Güther (Nürnberg, Germany), C. Nützenadel, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Energy distribution of hydrogen sites for $MgNi_{0.86}M1_{0.03}$ (M1=Cr, Fe, Co, Mn) alloys desorbing hydrogen at low temperature 298
Y. Tsushio (Hiroshima, Japan), H. Enoki, E. Akiba (Ibaraki, Japan)

Author Index of Volume 285 303

Subject Index of Volume 285 305

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**
If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.
The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier-.com or www.elsevier.co.jp